

Benson

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	27	capacit\$4 same moisture same sensor same charg\$3 same discharg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:45
2	BRS	L2	295	324/664.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:47
3	BRS	L3	354	324/694.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:48
4	BRS	L4	0	73/304.c.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:48
5	BRS	L5	953	73/304c.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:48
6	BRS	L6	249346	73/304c.ccls. and moisture humidity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:50
7	BRS	L7	73	73/304c.ccls. and (moisture humidity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/11/06 14:50

Interference Search

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Sunday, November 06, 2005

Hide?	<u>Set Name Query</u>	<u>Hit Count</u>
	<i>DB=PGPB; PLUR=NO; OP=ADJ</i>	
<input type="checkbox"/>	L1 capacit\$4 same moisture same charge same discharge	25

END OF SEARCH HISTORY